

Hoshizaki America, Inc.

SafeTemp Series Refrigerated Kitchen Equipment

Models

RH1-AAC(-HD)

RH2-AAC(-HD)

RH3-AAC(-HD)



“A Superior Degree
of Reliability”

www.hoshizaki.com

PARTS LIST



Number: 71178
Issued: 8-30-2000
Revised: 9-9-2010

CONTENTS

Material Abbreviations	4
Auxiliary Codes	5
Note About Ordering Parts	5
A. Reach-In	6
RH1-AAC(-HD)	6
RH2-AAC(-HD)	8
RH3-AAC(-HD)	10
B. Refrigeration System	12
RH1-AAC(-HD)	12
RH2-AAC(-HD)	14
RH3-AAC(-HD)	16
C. Panel-Front Hinged Assembly	18
RH1-AAC(-HD), RH2-AAC(-HD), RH3-AAC(-HD)	18
D. Body-Final	20
RH1-AAC	20
RH1-AAC-HD	22
RH2-AAC	24
RH2-AAC-HD	26
RH3-AAC	28
RH3-AAC-HD	30
E. Control Box Assembly	32
RH1-AAC(-HD), RH2-AAC(-HD), RH3-AAC(-HD)	32
F. Fan-Evaporator Assembly	34
RH1-AAC(-HD)	34
F. Evaporator-Shroud Assembly	36
RH2-AAC(-HD)	36
RH3-AAC(-HD)	37
G. Evaporator Assembly	38
RH1-AAC(-HD)	38
RH2-AAC(-HD)	39
RH3-AAC(-HD)	40
H. Condenser Assembly	41
RH1-AAC(-HD)	41
RH2-AAC(-HD)	43
RH3-AAC(-HD)	45
J. Body-Prefinal	47
RH1-AAC(-HD)	47
RH2-AAC(-HD)	49
RH3-AAC(-HD)	51
K. Door-Right	53
RH1-AAC, RH2-AAC, RH3-AAC	53
L. Door-Left	55
RH2-AAC, RH3-AAC	55

M. Door-Half (UR).....	57
RH1-AAC-HD, RH2-AAC-HD, RH3-AAC-HD.....	57
N. Door-Half (LR).....	58
RH1-AAC-HD, RH2-AAC-HD, RH3-AAC-HD.....	58
P. Door-Half (UL).....	59
RH2-AAC-HD, RH3-AAC-HD	59
Q. Door-Half (LL)	60
RH2-AAC-HD, RH3-AAC-HD	60
R. Mullion-Horizontal	61
RH1-AAC-HD	61
S. Mullion-Vertical	62
RH2-AAC, RH3-AAC	62
T. Mullion-Cross	64
RH2-AAC-HD, RH3-AAC-HD	64
U. Mullion-Tee	66
RH3-AAC-HD	66
V. Label Location	68
RH1-AAC(-HD).....	68
RH2-AAC(-HD).....	69
RH3-AAC(-HD).....	70
W. Literature & Packaging.....	71
RH1-AAC(-HD), RH2-AAC(-HD), RH3-AAC(-HD).....	71

Material Abbreviations

ALUMINUM

AL = Aluminum

COPPER

CU = Copper

PLASTIC

ABS = Acrylonitrile -butadiene - styrene
AC = Polyacetal
EVA = Ethylene vinyl acetate
PA = Polyamide = Nylon
PC = Polycarbonate
PE = Polyethylene
PES = Polyester
PETP = Polyethylene terephthalate = Tetlon
PP = Polypropylene
PS = Polystyrene
PTFE = Polytetrafluoroethylene = Teflon
PUR = Polyurethane
PVC = Polyvinyl chloride

RUBBER

VN = Vinyl Nitrile
EPDM = EP rubber
NBR = Nitrile butadiene rubber
NR = Natural rubber
NP = Neoprene
SI.R = Silicone rubber
SY.R = Synthetic rubber
EPH = Epichlorohydrin

STEEL

GS = Galvanized steel
SS = Stainless steel
PS = Plated steel
PAS = Primed steel

AUXILIARY CODE

K-0

TT Designates the year. "K" indicates the year 2000. Years progress or regress in alphabetical order. "J" is 1999, "L" is 2001, "M" is 2002, and so on. The letters "I" and "O" were skipped.
TT Designates significant part changes within the same year for this model. Base is 5 (0 for codes L-0 and earlier) and this number advances for each change.

Example: P-6

TP "P" indicates 2004.
TP "6" indicates the first significant part change for 2004.

Auxiliary Codes


RH1-AAC	K-0	June 2000	RH2-AAC-HD	K-0	May 2000
	K-1	October 2000		L-5	February 2001
	L-0	December 2000		N-5	December 2001
	L-5	February 2001		N-6	February 2003
	M-5	December 2001		P-5	December 2003
	M-6	July 2002		P-6	October 2004
	M-7	August 2002		Q-5	January 2005
	N-5	December 2002	RH3-AAC	K-0	November 2000
	N-6	January 2003		L-0	February 2001
	P-5	December 2003		L-5	March 2001
	P-6	October 2004		M-5	March 2002
	P-7	November 2004		M-6	July 2002
	Q-5	December 2004		M-7	August 2002
RH1-AAC-HD	K-0	May 2000		N-5	December 2002
	K-1	November 2000		N-6	March 2003
	L-0	December 2000		P-5	December 2003
	L-5	March 2001		Q-5	January 2005
	M-5	September 2002	RH3-AAC-HD	K-0	August 2000
	N-6	January 2003		N-6	July 2003
	P-5	January 2004		Q-5	February 2005
	P-6	October 2004			
	Q-5	January 2005			
RH2-AAC	K-0	June 2000			
	L-5	February 2001			
	M-5	December 2001			
	M-6	July 2002			
	M-7	August 2002			
	N-6	January 2003			
	P-5	December 2003			
	P-6	October 2004			
	P-7	November 2004			
	Q-5	December 2004			

Note About Ordering Parts

Most assemblies cannot be ordered as complete units; parts in the assemblies generally must be ordered separately.

A. Reach-In
RH1-AAC(-HD)

K-0, K-1, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5




Title: **A. Reach-In** Model: **RH1-AAC(-HD)**

Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0 K-1	L-0	L-5 to N-5	N-6 to Q-5				
B	Refrigeration System	Refrigerator	1A0502A01	1	1	1	1				
B1	Bolt Assembly	8x45	437889-01	5	5	5	5				
B2	Truss Head Screw	5x25, SS	7C32-0525	2	2	2	2				
B3	Washer	5	7W22-0500	2	2	2	2				
C	Panel – Front Hinged Assembly	-	3A1670A01	1	1	1	1				
C1	Truss Head Screw	4x8, SS	7C32-0408	2	-						
	Clevis Pin	-	8907-0102		2	2	2				
C2	Cotter Pin	-	8907-0103		2	2	2				
C3	Flat Washer	-	4A0655-03		2	2	2				
D	Body – Final	RH1-AAC	1A0299A04	1	1	1	1				
		RH1-AAC-HD	1A0360A02	1	1	1	1				
E	Control Box Assembly	-	2A1842A01	1	1	1	1				
E1	T2 Screw	4x8, SS	7P32-0408	3	3	3	3				
V	Label Location	RH1-AAC	2A1042A07	1	1	1	1				
		RH1-AAC-HD	2A1042A06	1	1	1	1				
1	Gusset – Frame	GS	3A1520-01	1	1	1	-				
			4A2845-01				1				
1a	T2 Screw	4x8, SS	7P32-0408	4	4	4	4				
2	Frame-side Top	GS	2A1803-01	2	2	2	2				
2a	Truss Head Screw	5x10	7C32-0510	8	8	8	8				
3	Panel – Side, Top	AL	2A1800-21	2	2	2	2				
3a	Truss Head Screw	5x10	7C32-0510	6	2	2	2				
3b	Taper Collar	SS	4H0171-01	2	2	2	2				
3c	Countersunk Screw	5x20, SS	7C42-0520	2	2	2	2				
3d	T2 Screw	4x8, SS	7P32-0408		4	4	4				
4	UL – Cover Assy Top	-	2A1305G02	1	1	1	-				
		GS	2A2757G02				1				
4a	T2 Screw	4x8, SS	7P32-0408	5	5	5	5				
5	Cover – UL, Rear	GS	2A0956-01	1	1	1	-				
			2A2752-01				1				
5a	T2 Screw	4x8, SS	7P32-0408	4	4	4	4				
6	Power Cord	-	4A0520-01	1	1	1	1				
7	Wire Clamp	-	4A0809-02	1	1	1	1				
7a	T2 Screw	4x8, SS	7P32-0408	1	1	1	1				
8	Cover – Connector Wire	GS	3A1678-01	1	1	1	1				
8a	T2 Screw	4x8, SS	7P32-0408	2	2	2	2				
9	Cover – Wire	GS	3A1679-01	1	1	1	1				
9a	T2 Screw	4x8, SS	7P32-0408	3	3	3	3				
10	Bracket – Hinge	GS	4A2306-01	2	2	2	2				
11	Insert – Threaded	M5	4A0407-01		4	4	4				
12	Bracket – Control Box	GS	4A2467-01			1	1				

A. Reach-In RH2-AAC(-HD)


K-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5



Title: A. Reach-In Model: RH2-AAC(-HD)											
Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0	L-5 to N-5	N-6 to Q-5					
B	Refrigeration System	Refrigerator	1A0513A01	1	1	1					
B1	Bolt Assembly	8x45	437889-01	6	6	6					
B2	Hex Bolt	8x70	7B01-0870	2	2	2					
B3	Washer	8	7W22-0800	2	2	2					
C	Panel – Front Hinged Assembly	-	3A1670A02	1	1	1					
C1	Truss Head Screw	4x8, SS	7C32-0408	2	-						
	Clevis Pin	-	8907-0102		2	2					
C2	Cotter Pin	-	8907-0103		2	2					
C3	Flat Washer	-	4A0655-03		2	2					
D	Body – Final	RH2-AAC	2A1215A04	1	1	1					
		RH2-AAC-HD	1A0370A02	1	1	1					
E	Control Box Assembly	-	2A1842A02	1	1	1					
E1	T2 Screw	4x8, SS	7P32-0408	4	4	4					
V	Label Location	RH2-AAC	3A0603G07	1	1	1					
		RH2-AAC-HD	3A0603G06	1	1	1					
1	Gusset – Frame	GS	3A1520-01	1	1	-					
			4A2845-01			1					
1a	T2 Screw	4x8, SS	7P32-0408	2	2	4					
1b	Truss Head Screw	5x10	7C32-0510	2	2	-					
2	Frame – Side Top	GS	2A1803-01	2	2	2					
2a	Truss Head Screw	5x10	7C32-0510	8	8	8					
3	Panel – Side, Top	AL	2A1800-21	2	2	2					
3a	Truss Head Screw	5x10	7C32-0510	6	2	2					
3b	Taper Collar	SS	4H0171-01	2	2	2					
3c	Countersunk Screw	5x20, SS	7C42-0520	2	2	2					
3d	T2 Screw	4x8, SS	7P32-0408	4	4	4					
4	Top UL Cover	GS	2A1118-03	1	1	1					
4a	T2 Screw	4x8, SS	7P32-0408	5	5	5					
5	Rear UL Cover	GS	2A1117-01	1	1	1					
5a	T2 Screw	4x8, SS	7P32-0408	5	5	5					
6	Power Cord	-	4A0520-01	1	1	1					
7	Wire Clamp	-	4A0809-03	1	1	-					
			4A0809-02			1					
7a	Truss Head Screw	5x8	7C32-0508	1	1	-					
	T2 Screw	4x8, SS	7P32-0408			1					
8	Cover – Wire	GS	2A1861-01	1	1	1					
8a	T2 Screw	4x8, SS	7P32-0408	3	3	3					
9	Sleeve-hinge	-	4A2208-01	2	-						
	Bracket – Hinge	-	4A2306-01		2	2					
9a	Truss Head Screw	4x8, SS	7C32-0408	2	-						
10	Insert – Threaded	M5	4A0407-01	4	4	4					
11	Distributor – Air Top	-	1A0152-05	1	1	1					
11a	T2 Screw	4x8, SS	7P32-0408	7	7	7					
12	Bracket – Control Box	GS	4A2467-01		1	1					

A. Reach-In **RH3-AAC(-HD)**

K-0, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, Q-5



Title: **A. Reach-In** Model: **RH3-AAC(-HD)**

Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0 L-0	L-5 M-5	M-6 to N-5	N-6 to Q-5				
B	Refrigeration System	Refrigerator	1A0519A01	1	1	1	1				
B1	Bolt Assembly	8x45	437889-01	6	6	6	6				
B2	Hex Bolt	8x70	7B01-0870	2	2	2	2				
B3	Washer	8	7W21-0800	2	2	2	2				
C	Panel – Front Hinged Assembly	-	3A1670A03	1	1	1	1				
C1	Clevis Pin	-	8907-0102	2	2	2	2				
C2	Cotter Pin	-	8907-0103	2	2	2	2				
C3	Flat Washer	-	4A0655-03	2	2	2	2				
D	Body – Final	RH3-AAC	2A1133A04	1	1	1	1				
		RH3-AAC-HD	2A1400A02	1	1	1	1				
E	Control Box Assembly	-	2A1842A04	1	1	1	1				
E1	T2 Screw	4x8, SS	7P32-0408	4	4	4	4				
V	Label Location	RH3-AAC	3A1059G07	1	1	1	1				
		RH3-AAC-HD	3A1059G06	1	1	1	1				
1	Gusset – Frame	GS	3A1520-01	1	1	1	-				
			4A2845-01				1				
1a	T2 Screw	4x8, SS	7P32-0408	4	4	4	4				
2	Frame – Side Top	GS	2A1803-01	2	2	2	2				
2a	Truss Head Screw	5x10, SS	7C32-0510	8	8	8	8				
3	Panel – Side, Top	AL	2A1800-21	2	2	2	2				
3a	Truss Head Screw	5x10, SS	7C32-0510	2	2	2	2				
3b	Taper Collar	SS	4H0171-01	2	2	2	2				
3c	Countersunk Screw	5x20, SS	7C42-0520	2	2	2	2				
3d	T2 Screw	4x8, SS	7P32-0408	4	4	4	4				
4	Top UL Cover	GS	2A1118-03	1	1	-					
	UL Cover – Assembly Top	-	2A2376G01			1	1				
4a	T2 Screw	4x8, SS	7P32-0408	7	7	7	7				
5	Rear UL Cover	GS	2A1117-01	1	1	1	1				
5a	T2 Screw	4x8, SS	7P32-0408	7	7	7	7				
6	Power Cord	-	4A0520-01	1	1	1	1				
7	Wire Clamp	-	4A0809-02	1	1	1	1				
7a	T2 Screw	4x8, SS	7P32-0408	1	1	1	1				
8	Cover-wire	GS	2A1910-01	1	1	1	1				
8a	T2 Screw	4x8, SS	7P32-0408	3	3	3	3				
9	Bracket – Hinge	-	4A2306-01	2	2	2	2				
10	Insert – Threaded	M5	4A0407-01	4	4	4	4				
11	Diverter – Air	-	2A1855-01	1	1	1	1				
11a	T2 Screw	4x8, SS	7P32-0408	2	2	2	2				
12	Bracket – Control Box	GS	4A2467-01		1	1	1				
13	Distributor – Air Top	-	1A0152-05	2	2	2	2				
13a	T2 Screw	4x8, SS	7P32-0408	14	14	14	14				
14	Taper Collar		4H0171-01	2	2	2	2				
14a	Countersunk Screw	5x20, SS	7C42-0520	2	2	2	2				

RH1-AAC(-HD)


This exploded view diagram illustrates the assembly of a microwave oven. The main components are labeled with numbers and letters:

- 1, 1a, 1b, 1c**: Top outer casing.
- 2, 3, 4, 5, 6, 6a, 19, 20, 21, 22**: Turntable assembly components.
- 7**: Turntable support structure.
- 8**: Door panel.
- 9**: Door hinge/locking mechanism.
- 10, 11, 11a**: Door latch/locking components (shown in an inset).
- 12**: Door latch/locking component (shown in an inset).
- 13, 14, 17, 17a**: Control panel and its mounting bracket.
- 15**: Control panel mounting screw.
- 16**: Control panel base plate.
- 18, 18a**: Control panel mounting bracket.
- 23**: Magnetron assembly.
- F, F1**: Front panel/door frame.
- G**: Main body frame.
- H, H1**: Door hinge/locking mechanism.

Title: B. Refrigeration System Model: RH1-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 K-1	L-0	L-5 to N-5	N-6 P-5	P-6 to Q-5				
F	Fan – Evap Assembly	-	2A0980A01	1	1	1	1	1				
F1	Truss Head Screw	4x12, SS	7C32-0412	4	4	4	4	4				
G	Evaporator Assembly	-	2A1808A01	1	1	1	1	1				
H	Condenser Assembly		3A1087A02	1	1	1	-					
			3A2609A02				1	1				
H1	T2 Screw	4x8, SS	7P32-0408	2	2	2	2	2				
1	Cover – Evap Case (1 Sec)		2A0428G01	1	1	1	-					
			2A2726G01				1	1				
1a	Draw Latch	97-50-224-11	4A1710-01	4	4	4	4	4				
1b	Truss Head Screw	4x16, SS	7C32-0416	4	4	4	4	4				
1c	T2 Screw	4x8, SS	7P32-0408	8	8	8	8	8				
2	Compressor	105G5724 NF7FX	4A2133-01	1	1	1	1	1				
3	Rubber Grommet		4A1452-01	4	-							
	Grommet		434403-01		4	4	4	4				
4	Sleeve		4A1451-01	4	-							
	Spacer		434404-01		4	4	4	4				
5	Washer		4A1450-01	4	-							
	Flat Washer		7W21-0800		4	4	4	4				
6	Bolt		4A1459-01	4	-							
			7B01-0845		4	4	4	4				
6a	Split Lock Washer	-	7L21-0800		4	4	-					
7	Pipe – Evap Drain	PVC	4A0831-01	1	1	1	1	1				
8	Filter – Cond	-	3A0277-01	1	1	1	1	1				
9	Drier	SPORLAN CW-052-S	4A0924-01	1	1	1	1	1				
10	Thermistor – Cabinet	Thermistor is included w/ controller. (Assembly E) Thermistor is not replaceable as a standalone part.		-	-	-	-	-				
11	Thermistor Bracket (A)	ABS	433964-01	1	1	1	1	1				
11a	Truss Head Screw	4x16, SS	7C32-0416	2	2	2	2	2				
12	Thermistor Bracket (B)	ABS	433920-01	1	1	1	1	1				
13	Fitting – Drain Overflow	-	4A2182-01	1	1	1	1	1				
14	Gasket – Cond. Coil		4A0455-03	1	1	1	1	1				
15	Rubber Gasket		413854-03	1	1	1	1	1				
16	Pan – Evap. Drain		2A0616-02	1	1	1	-					
			2A2760-01				1	1				
17	Strap – Condensate Coil	(3A0381A03)	3A0232-03	1	1	1	1	1				
17a	Truss Head Screw	5x12, SS	7C32-0512	2	2	2	1	1				
18	Drier Bracket	-	4A0806-01	1	1	1	1	1				
18a	T2 Screw	4x8, SS	7P32-0408	2	2	2	2	2				
19	Start Capacitor		4A2134-01	1	1	1	1	1				
20	Start Relay		4A2135-01	1	1	1	1	1				
21	Cover – Compressor		4A2141-01	1	1	1	1	1				
22	Cord Relief		4A2152-01	1	1	1	1	1				
23	Pressure Switch		4A2516-01	1	1	1	1	1				

B. Refrigeration System
RH2-AAC(-HD)


K-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5



Title: B. Refrigeration System Model: RH2-AAC(-HD)											
Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0	L-5 to P-5	P-6 to Q-5					
F	Evaporator Shroud Assembly	-	3A0263G01	1	1	1					
F1	Truss Head Screw	4x16	7C32-0416	2	2	2					
G	Evaporator Assembly	-	2A1297A03	1	1	1					
G1	T2 Screw	4x8, SS	7P32-0408	2	2	2					
H	Condenser Assembly	-	3A1138A01	1	1	1					
H1	T2 Screw	4x8, SS	7P32-0408	4	4	4					
1	Cover – Evap Case	-	2A0245G01	1	1	1					
1a	Draw Latch	97-50-224-11	4A1710-01	4	4	4					
1b	Truss Head Screw	4x16, SS	7C32-0416	4	4	4					
1c	T2 Screw	4x8, SS	7P32-0408	8	8	8					
2	Compressor	105G5945 NF11FX	4A2131-01	1	1	1					
3	Rubber Grommet	-	4A1452-01	4	-						
			434403-01		4	4					
4	Sleeve	-	4A1451-01	4	-						
			434404-01		4	4					
5	Washer	-	4A1450-01	4	-						
			7W21-0800		4	4					
6	Bolt	-	4A1459-01	4	-						
			7B01-0845		4	4					
7	Pipe – Evap Drain	PVC	3A0143-01	1	1	1					
8	Filter – Condenser	-	3A0277-02	1	1	1					
9	Drier	SPORLAN CW-052-S	4A0924-01	1	1	1					
10	Thermistor – Cabinet	Thermistor is included w/ controller. (Assembly E) Thermistor is not replaceable as a standalone part.		-	-	-					
11	Thermistor Bracket (A)	ABS	433964-01	1	1	1					
11a	Truss Head Screw	4x16, SS	7C32-0416	2	2	2					
12	Thermistor Bracket (B)	ABS	433920-01	1	1	1					
13	Fitting – Drain Overflow		4A2182-01	1	1	1					
14	Gasket – Cond. Coil		4A0455-01	1	1	1					
15	Rubber Gasket		413854-03	1	1	1					
16	Pan – Evaporator Drain		2A0200-02	1	1	1					
17	Strap – Condensate Coil		3A0413-03	1	1	1					
17a	Truss Head Screw	5x10, SS	7C32-0510	1	1	1					
18	Drier Bracket	-	4A0806-01	1	1	1					
18a	T2 Screw	-	7P32-0408	2	2	2					
19	Start Capacitor		4A2134-02	1	1	1					
20	Start Relay		4A2135-02	1	1	1					
21	Cover – Compressor		4A2141-01	1	1	1					
22	Cord Relief		4A2152-01	1	1	1					
23	Pressure Switch		4A2516-01	1	1	1					

B. Refrigeration System RH3-AAC(-HD)

K-0, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, Q-5





Title: B. Refrigeration System Model: RH3-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 to P-5	Q-5							
F	Evap Shroud Assm	-	3A1009G01	1	1							
F1	Truss Head Screw	4x16, SS	7C32-0416	2	2							
G	Evaporator Assembly	-	2A1160A02	1	1							
G1	T2 Screw	4x8, SS	7P32-0408	2	2							
H	Condenser Assembly	-	3A1010A02	1	1							
H1	T2 Screw	4x8, SS	7P32-0408	4	4							
1	Cover – Evap Case	-	2A1086G01	1	1							
1a	Draw Latch	97-50-224-11	4A1710-01	4	4							
1b	Truss Head Screw	4x16, SS	7C32-0416	4	4							
1c	T2 Screw	4x8, SS	7P32-0408	8	8							
2	Compressor	-	3A1730-01	1	1							
3	Grommet	-	434403-01	4	4							
4	Spacer	-	434404-01	4	4							
5	Flat Washer	-	7W21-0800	4	4							
6	Hex Bolt	-	7B01-0845	4	4							
7	Pipe – Evap Drain	PVC	3A0143-01	1	1							
8	Filter – Condenser	-	3A0277-03	1	1							
9	Drier	SPORLAN CW-052-S	4A0924-01	1	1							
10	Thermistor – Cabinet	Thermistor is included w/ controller. (Assembly E) Thermistor is not replaceable as a standalone part.		-	-							
11	Thermistor Bracket (A)	ABS	433964-01	1	1							
11a	Truss Head Screw	4x16, SS	7C32-0416	2	2							
12	Thermistor Bracket (B)	ABS	433920-01	1	1							
13	Fitting – Drain Overflow		4A2182-01	1	1							
14	Gasket – Cond. Coil		4A0455-01	1	1							
15	Rubber Gasket		413854-03	1	1							
16	Pan – Evaporator Drain		2A0200-02	1	1							
17	Strap – Condensate Coil		3A0413-03	1	1							
17a	Truss Head Screw	5x10, SS	7C32-0510	1	1							
18	Drier Bracket	-	4A0806-01	1	1							
18a	T2 Screw	4x8, SS	7P32-0408	2	2							
19	Protector	Supplied w/ compressor	4A1875-01	1	1							
20	Protector Holder	26126	Supplied w/ compressor	1	1							
21	Protector Cover Group	AKP1000		1	1							
22	Pressure Switch		4A2516-01	1	1							

C. Panel-Front Hinged Assembly

RH1-AAC(-HD), RH2-AAC(-HD), RH3-AAC(-HD)

K-0, K-1, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5




VIEW "A"

Title: C. Panel-Front Hinged Assembly Model: RH1-AAC(-HD), RH2-AAC(-HD), RH3-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 K-1	L-0 to Q-5							
1	Panel – Front Hinged	RH1-AAC(-HD) SS	2A1799-01	1	1							
		RH2-AAC(-HD) SS	2A1799-02	1	1							
		RH3-AAC(-HD) SS	2A1799-03	1	1							
2	Hinge – Front Panel(L)	GS	4A2153-01	1	1							
3	Hinge – Front Panel(R)	GS	4A2154-01	1	1							
4	Channel – Hinge	GS	4A2170-01	2	2							
4a	Truss Head Screw	5x8, SS	7C32-0508	4	4							
5	Blind	RH1-AAC(-HD)	3A1763-01		1							
		RH2-AAC(-HD)	3A1763-02		1							
		RH3-AAC(-HD)	3A1763-03	1	1							
6	Support – Blind	RH1-AAC(-HD) RH2-AAC(-HD)	4A2267-01		1							
		RH3-AAC(-HD)		1	1							

RH1-AAC


K-0, K-1, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5



Title: D. Body-Final Model: RH1-AAC												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0	K-1 to Q-5							
J	Body – Prefinal	-	1A0298A03	1	1							
K	Door – Right	-	1A0318A03	1	1							
1	Hinge – Stop Pin	PS	4A2180-01	1	1							
2	Hinge – Tension Screw	PS	4A0446-01	1	1							
3	Hinge – Bushing Cover	SS	4A0445-01	1	1							
4	Hinge – Lock Washer	PS	4A0553-01	1	1							
5	Hinge – Pivot Pin (Top)	PS	4A2179-01	1	1							
6	Bracket – Door Hinge (LR)	PS	3A1626-01	1	1							
6a	Countersunk Screw	5x20, SS	7C42-0520	3	3							
7	Bracket – Door Hinge (UR)	PS	3A1580-01	1	1							
7a	Countersunk Screw	5x20, SS	7C42-0520	3	3							
8	Hinge – Stop Plate (R)	PS	4A0441-01	1	1							
9	Screw – Stop Plate	PS	4A0483-01	1	1							
10	Cover – Corner	ABS	3A0221-01	4	-							
		-	3A1751-01		4							
11	Plate – Strike (Side)	SS	4A0470-01	1	1							
11a	T2 Screw	4x8, SS	7P32-0408	2	2							

D. Body-Final
RH1-AAC-HD

K-0, K-1, L-0, L-5, M-5, N-6, P-5, P-6, Q-5



Title: D. Body-Final Model: RH1-AAC-HD												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0	K-1 to Q-5							
J	Body – Prefinal	-	1A0354A02	1	1							
M	Door – Half (UR)	-	1A0326A03	1	1							
N	Door – Half (LR)	-	1A0324A03	1	1							
R	Mullion – Horizontal	-	2A1323A02	1	1							
1	Hinge – Stop Pin	PS	4A2180-01	1	1							
2	Stop Pin	PS	4A1734-01	1	1							
3	Hinge – Tension Screw	SS	4A0446-01	2	2							
4	Pivot Pin	PS	4A1735-01	1	1							
5	Hinge – Bushing Cover	PS	4A0445-01	2	2							
6	Hinge – Lock Washer	PS	4A0553-01	2	2							
7	Hinge – Pivot Pin (Top)	PS	4A2179-01	1	1							
8	Bracket – Door Hinge (LR)	PS	3A1626-01	1	1							
8a	Countersunk Screw	5x20, SS	7C42-0520	3	3							
9	Bracket – Door Hinge (UR)	PS	3A1580-01	1	1							
9a	Countersunk Screw	5x20, SS	7C42-0520	3	3							
10	Bracket – Door Hinge (UL)	PS	3A1581-01	1	1							
10a	Countersunk Screw	5x20, SS	7C42-0520	3	3							
11	Hinge – Stop Plate (R)	PS	4A0441-01	2	2							
12	Screw – Stop Plate	PS	4A0483-01	2	2							
13	Cover – Corner	ABS	3A0221-01	4	-							
		-	3A1751-01		4							

K-0, L-5, M-5, M-6, M-7, N-6, P-5, P-6, P-7, Q-5

K-0, L-5, M-5, M-6, M-7, N-6, P-5, P-6, P-7, Q-5



Title: **D. Body-Final** Model: **RH2-AAC**

Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0	L-5 to Q-5						
J	Body – Prefinal	-	2A1207A04	1	1						
K	Door – Right	-	1A0318A03	1	1						
L	Door – Left	-	1A0318A04	1	1						
S	Mullion – Vertical	-	2A1289A03	1	1						
1	Hinge – Stop Pin	PS	4A2180-01	2	2						
2	Hinge – Tension Screw	PS	4A0446-01	2	2						
3	Hinge – Bushing Cover	SS	4A0445-01	2	2						
4	Hinge – Lock Washer	PS	4A0553-01	2	2						
5	Hinge – Pivot Pin(Top)	PS	4A2179-01	2	2						
6	Bracket – Door Hinge(LR)	PS	3A1626-01	1	1						
6a	Countersunk Screw	5x20, SS	7C42-0520	3	3						
7	Bracket – Door Hinge(LL)	PS	3A1627-01	1	1						
7a	Countersunk Screw	5x20, SS	7C42-0520	3	3						
8	Bracket – Door Hinge(UR)	PS	3A1580-01	1	1						
8a	Countersunk Screw	5x20, SS	7C42-0520	3	3						
9	Bracket – Door Hinge(UL)	PS	3A1581-01	1	1						
9a	Countersunk Screw	5x20, SS	7C42-0520	3	3						
10	Hinge – Stop Plate(R)	PS	4A0441-01	1	1						
11	Hinge – Stop Plate(L)	PS	4A0441-02	1	1						
12	Screw – Stop Plate	PS	4A0483-01	2	2						
13	Cover – Corner	ABS	3A0221-01	8	-						
		-	3A1751-01		8						


K-0, L-5, N-5, N-6, P-5, P-6, Q-5



Title: D. Body-Final Model: RH2-AAC-HD												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0	L-5 to Q-5							
J	Body – Prefinal	-	2A1347A02	1	1							
M	Door – Half (UR)	-	1A0326A03	1	1							
N	Door – Half (LR)	-	1A0324A03	1	1							
P	Door – Half (UL)	-	1A0324A04	1	1							
Q	Door – Half (LL)	-	1A0326A04	1	1							
T	Mullion – Cross	-	2A1350A02	1	1							
1	Hinge – Stop Pin	PS	4A2180-01	2	2							
2	Hinge – Tension Screw	PS	4A0446-01	4	4							
3	Hinge – Bushing Cover	SS	4A0445-01	4	4							
4	Hinge – Lock Washer	PS	4A0553-01	4	4							
5	Hinge – Pivot Pin (Top)	PS	4A2179-01	2	2							
6	Bracket – Door Hinge (LR)	PS	3A1626-01	1	1							
6a	Countersunk Screw	5x20, SS	7C42-0520	3	3							
7	Bracket – Door Hinge (LL)	PS	3A1627-01	1	1							
7a	Countersunk Screw	5x20, SS	7C42-0520	3	3							
8	Bracket – Door Hinge (UR)	PS	3A1580-01	2	2							
8a	Countersunk Screw	5x20, SS	7C42-0520	6	6							
9	Bracket – Door Hinge (UL)	PS	3A1581-01	2	2							
9a	Countersunk Screw	5x20, SS	7C42-0520	6	6							
10	Hinge – Stop Plate (R)	PS	4A0441-01	2	2							
11	Hinge – Stop Plate (L)	PS	4A0441-02	2	2							
12	Stop Pin	PS	4A1734-01	2	2							
13	Pivot Pin	PS	4A1735-01	2	2							
14	Screw – Stop Plate	PS	4A0483-01	4	4							
15	Cover – Corner	ABS	3A0221-01	16	-							
		-	3A1751-01		16							


D. Body-Final RH3-AAC

K-0, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, Q-5



Title: D. Body-Final Model: RH3-AAC												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 to Q-5								
J	Body – Prefinal	-	2A1132A04	1								
K	Door – Right	-	1A0318A03	2								
L	Door – Left	-	1A0318A04	1								
S	Mullion – Vertical	-	2A1289A03	2								
1	Hinge – Stop Pin	PS	4A2180-01	3								
2	Hinge – Tension Screw	PS	4A0446-01	3								
3	Hinge – Bushing Cover	SS	4A0445-01	3								
4	Hinge – Lock Washer	PS	4A0553-01	3								
5	Hinge – Pivot Pin (Top)	PS	4A2179-01	3								
6	Bracket – Door Hinge (LR)	PS	3A1626-01	2								
6a	Countersunk Screw	5x20, SS	7C42-0520	6								
7	Bracket – Door Hinge (LL)	PS	3A1627-01	1								
7a	Countersunk Screw	5x20, SS	7C42-0520	3								
8	Bracket – Door Hinge (UR)	PS	3A1580-01	2								
8a	Countersunk Screw	5x20, SS	7C42-0520	6								
9	Bracket – Door Hinge (UL)	PS	3A1581-01	1								
9a	Countersunk Screw	5x20, SS	7C42-0520	3								
10	Hinge – Stop Plate (R)	PS	4A0441-01	2								
11	Hinge – Stop Plate (L)	PS	4A0441-02	1								
12	Screw – Stop Plate	PS	4A0483-01	3								
13	Cover – Corner	ABS	3A1751-01	12								

D. Body-Final
RH3-AAC-HD
 K-0, N-6, Q-5




Title: D. Body-Final Model: RH3-AAC-HD												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 to Q-5								
J	Body – Prefinal	-	2A1399A02	1								
M	Door – Half (UR)	-	1A0326A03	2								
N	Door – Half (LR)	-	1A0324A03	2								
P	Door – Half (UL)	-	1A0324A04	1								
Q	Door – Half (LL)	-	1A0326A04	1								
T	Mullion – Cross	-	2A1350A02	1								
U	Mullion – Tee (L)		2A1385A02	1								
1	Hinge – Stop Pin	PS	4A2180-01	3								
2	Hinge – Tension Screw	PS	4A0446-01	6								
3	Hinge – Bushing Cover	SS	4A0445-01	6								
4	Hinge – Lock Washer	PS	4A0553-01	6								
5	Hinge – Pivot Pin (Top)	PS	4A2179-01	3								
6	Bracket – Door Hinge (LR)	PS	3A1626-01	2								
6a	Countersunk Screw	5x20, SS	7C42-0520	6								
7	Bracket – Door Hinge (LL)	PS	3A1627-01	1								
7a	Countersunk Screw	5x20, SS	7C42-0520	3								
8	Bracket – Door Hinge (UR)	PS	3A1580-01	3								
8a	Countersunk Screw	5x20, SS	7C42-0520	9								
9	Bracket – Door Hinge (UL)	PS	3A1581-01	3								
9a	Countersunk Screw	5x20, SS	7C42-0520	9								
10	Hinge – Stop Plate (R)	PS	4A0441-01	4								
11	Hinge – Stop Plate (L)	PS	4A0441-02	2								
12	Stop Pin	PS	4A1734-01	3								
13	Pivot Pin	PS	4A1735-01	3								
14	Screw – Stop Plate	PS	4A0483-01	6								
15	Cover – Corner	ABS	3A1751-01	24								

E. Control Box Assembly

RH1-AAC(-HD), RH2-AAC(-HD), RH3-AAC(-HD)



K-0, K-1, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5



Title: E. Control Box Assembly Model: RH1-AAC(-HD), RH2-AAC(-HD), RH3-AAC(-HD)											
Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0 K-1	L-0 L-5	M-5 to N-5	N-6 to P-5	P-6 to Q-5			
1	Base – Control Box	GS	2A1887-01	1	1	1	1	1			
2	Cover – Control Box	GS	2A1833-01	1	1	1	1	1			
3	Board – Control Display Controller	Use latest for all aux. codes	4A2203-01	1	1	1	1	-			
			3A3372-01					1			
4	Switch – Rocker	1801.110	4A0418-01	1	1	1	1	1			
5	Switch – Toggle	780K21	4A0424-01	1	1	1	1	1			
6	Relay – Compressor	HE1aN- AC120V	4A1307-01	1	1	1	1	1			
7	Tapping Screw	3x8	431415-01	1	1	1	1	1			
8	Transformer	BE110805GAA	4A2202-01	1	1	1	1	1			
9	Tapping Screw	3x8	431415-01	2	2	2	2	2			


Title: E. Control Box Assembly Model: RH1-AAC(-HD), RH2-AAC(-HD), RH3-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 K-1	L-0 L-5	M-5 to N-5	N-6 to P-5	P-6 to Q-5				
10	Terminal Block	RH1-AAC(-HD) RH2-AAC(-HD) ESB1-6-8	4A1540-01	1	1	-						
		RH1-AAC(-HD) RH2-AAC(-HD) ESB2-323-424	4A2619-01			1	1	1				
		RH3-AAC(-HD) ESB1-6-8	4A1540-01	1	1	1	-					
		RH3-AAC(-HD) ESB2-323-424	4A2619-01				1	1				
11	Tapping Screw	3x8	431415-01	1	1	1	1	1				
12	Plug Housing	3/12/35	4A0425-01	1	1	1	1	1				
13	Receptacle Housing	03-12-1036	4A0426-01	1	1	1	1	1				
14	Plug Housing(6 Pin)	3191-06P	412832-03	1	1	1	1	1				
15	Receptacle Housing(6 Pin)	3191-06R1	412831-03	1	1	1	1	1				
16	Plug Housing(6 Pin)	3191-06P	412832-12	1	1	1	1	1				
17	Receptacle Housing(6 Pin)	3191-06R1	412831-12	1	1	1	1	1				
18	Insert – Threaded	M5	4A0407-01	1	1	1	1	1				
19	Truss Head Screw	5x10	7C32-0510	1	1	1	1	1				
20	Relay – Door Switch	JA1b-TM-AC12V	4A2268-01	1	1	1	1	1				
21	Tapping Screw	3x8	431415-01	2	2	2	2	2				
22	Bushing	SB-625-8	420470-01	1	1	1	1	1				
23	Bushing	RH1-AAC(-HD) Only SB-1500-21	420470-06	1	-							
24	Capacitor – Starting	RH3-AAC(-HD) Only	3A0076-14	1	1	1	1	1				
25	Relay – Start	RH3-AAC(-HD) Only	4A1709-02	1	1	1	1	1				
26	Truss Head Screw	RH3-AAC(-HD) Only 4x8, SS	7C32-0408	1	1	1	1	1				
27	Strap	RH3-AAC(-HD) Only GS	434580-05	1	1	-						
			434580-03			1	1	1				
28	Tapping Screw	RH3-AAC(-HD) Only 3x8	431415-01	1	1	1	1	1				

F. Fan-Evaporator Assembly
RH1-AAC(-HD)
 K-0, K-1, L-0, L-5




HS-3541

See next page for information about non-interchangeable part change.



F. Fan-Evaporator Assembly
RH1-AAC(-HD)
 M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5



Title: **F. Fan-Evaporator Assembly** Model: **RH1-AAC(-HD)**

Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0 to L-5	M-5 to Q-5						
1	Shroud – Evaporator		2A0846-01	Note: Parts are not interchangeable. For serial numbers M-5 B and earlier, see the information below. For serial numbers M-5 C and later, order the appropriate parts from this chart.	1						
1a	Truss Head Screw	4x16, SS	7C32-0416		4						
2	Bracket – Fan Motor		3A2501-01		2						
2a	Truss Head Screw	5x12, SS	7C32-0512		2						
2b	Lock Washer		4A0459-01		2						
2c	Threaded Insert	M5	4A0407-01		2						
3	Fan Motor – Evaporator	SHINKO	4A2563-01		1						
3a	Truss Head Screw	4x40, SS	7C32-0440		4						
3b	Split Lock Washer	4, SS	7L22-0400		4						
3c	Hex Nut	4, SS	7N12-0400		4						
4	Blade – Evaporator Fan		4A2378-01		1						
5	Wire Tie (Twist)		4A1223-01		1						

Note for Models Having Serial Number M5 B and Earlier

If your model falls into this time frame and you need to replace parts in the assembly, review the scenarios below and follow the appropriate solution.

- a. Unit's evaporator shroud has only two holes or has four holes but only the lower two holes are threaded.

Solution: Order HS-3541 that contains a motor (Shinko), brackets, blade, and all fasteners required for mounting to the shroud using the existing threaded holes.

- b. Unit's evaporator shroud has four threaded holes and a Jakel motor.

Solution: Order a new motor (Shinko), brackets, fan blade, and all fasteners listed in the parts list above. Attach the brackets to the upper two holes on the shroud.


HS-3541-Shinko Fan Motor Conversion

Index No.	Description	Material or Model Number	Part Number	Required Number							
				M5 B and earlier							
HS1	Bracket – Fan Motor (L)		3A2357-01	1							
HS1a	Truss Head Screw	5x12, SS	7C32-0512	1							
HS1b	Lock Washer		4A0459-01	1							
HS2	Bracket – Fan Motor (R)		3A2358-01	1							
HS2a	Truss Head Screw	5x12, SS	7C32-0512	1							
HS2b	Lock Washer		4A0459-01	1							
HS3	Fan Motor – Evaporator	Shinko	4A2563-01	1							
HS3a	Truss Head Screw	4x40, SS	7C32-0440	4							
HS3b	Split Lock Washer	M4, SS	7L22-0400	4							
HS3c	Hex Nut	M4, SS	7N12-0400	4							
HS4	Blade – Evaporator Fan		4A2378-01	4							
HS5	Wire Tie (Twist)		4A1223-01	2							

F. Evaporator-Shroud Assembly

RH2-AAC(-HD)

K-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5




Title: F. Evaporator-Shroud Assembly Model: RH2-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	K-0 to Q-5	Required Number							
1	Blade – Fan (Pusher)	Air Drive Inc. AD9CCW30UBA	3A0438-01	1								
1a	Hex Nut	-	4A1345-01	1								
2	Motor – Evap Fan	Morrill Motors PSC4BE9BEA1	4A0413-01	1								
3	Orifice – Evap Fan	SS	4A0412-01	1								
3a	T2 Screw	4x8, SS, SS	7P32-0408	3								
4	Shroud – Evap	SS	1A0100-01	1								

F. Evaporator-Shroud Assembly

RH3-AAC(-HD)

K-0, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, Q-5




Title: F. Evaporator-Shroud Assembly Model: RH3-AAC(-HD)											
Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0 to N-6							
1	Shroud – Evaporator	-	1A0248-01	1							
2	Orifice – Evaporator Fan	-	4A0412-01	1							
2a	T2 Screw	4x8, SS	7P32-0408	3							
3	Motor – Evaporator Fan		4A0413-01	1							
4	Blade – Fan (Pusher)	-	3A0438-01	1							
4a	Hex Nut	-	4A1345-01	1							

G. Evaporator Assembly

RH1-AAC(-HD)

K-0, K-1, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5




Title: G. Evaporator Assembly Model: RH1-AAC(-HD)											
Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0 to P-7	Q-5						
1	Evaporator	Heatcraft 03EZ0603K- 8x19	2A1262-01	1	1						
2	Bracket – Evaporator	SS	4A2542-01	2	2						
2a	T2 Screw	4x8, SS	7P32-0408	4	4						
3	Thermistor – Defrost	Thermistor is included w/ controller. (Assembly E) Thermistor is not replaceable as a standalone part.		-	-						
	Clip – Thermistor		4A3248G01	1	1						
4	Copper Tube	CU	4A0554-02	1	1						

G. Evaporator Assembly

RH2-AAC(-HD)

K-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5




Title: G. Evaporator Assembly Model: RH2-AAC(-HD)											
Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0 to P-7	Q-5						
1	Evaporator	Heatcraft 602899	2A1382-01	1	1						
2	Bracket – Evap Shroud (R)	SS	4A0545-01	1	1						
2a	T2 Screw	4x8, SS	7P32-0408	2	2						
3	Bracket – Evap Shroud (L)	SS	4A0548-01	1	1						
3a	T2 Screw	4x8, SS	7P32-0408	2	2						
4	Thermistor – Defrost	Thermistor is included w/ controller. (Assembly E) Thermistor is not replaceable as a standalone part.		-	-						
	Clip – Thermistor		4A3248G01	1	1						
5	Copper – Tube	CU	4A0554-04	1	1						

G. Evaporator Assembly

RH3-AAC(-HD)

K-0, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, Q-5




Title: G. Evaporator Assembly Model: RH3-AAC(-HD)										
Index No.	Description	Material or Model Number	Part Number	Required Number						
				K-0 to P-5	Q-5					
1	Evaporator	-	2A1159-01	1	1					
2	Bracket – Evap Shroud (R)	SS	4A0545-01	1	1					
2a	T2 Screw	4x8, SS	7P32-0408	2	2					
3	Bracket – Evap Shroud (L)	SS	4A0548-01	1	1					
3a	T2 Screw	4x8, SS	7P32-0408	2	2					
4	Thermistor – Defrost	Thermistor is included w/ controller. (Assembly E) Thermistor is not replaceable as a standalone part.			-	-				
	Clip – Thermistor		4A3248G01	1	1					
5	Copper Tube	CU	4A0554-05	1	1					

H. Condenser Assembly

RH1-AAC(-HD)


K-0, K-1, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5



Title: H. Condenser Assembly Model: RH1-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 to N-5	N-6 to Q-5							
1	Shroud – Condenser	GS	2A1685-01	1	-							
			2A2722-01		1							
1a	T2 Screw	4x8, SS	7P32-0408	2	2							
2	Base – Condenser	GS	2A1027G01	1	-							
			2A2724G01		1							
3	Condenser	Heatcraft 2CZ1002N-12x9	2A0623-01	1	1							
3a	T2 Screw	4x8, SS	7P32-0408	4	4							
4	Motor-9W	-	4A0408-01	1	1							
5	Blade – Cond Fan	AIR DRIVE AD9CW30UBA	3A0436-01	1	1							
6	Hex Nut	PS	4A1345-01	1	1							
7	Bracket – Condenser Fan	GS	3A1564-01	1	1							
7a	Truss Head Screw	5x12	7C32-0512	4	4							
8	Retainer – Filter	GS	4A0790-01	1	1							
8a	T2 Screw	4x8, SS	7P32-0408	2	2							
9	Insert – Threaded	-	4A0407-01	5	5							

H. Condenser Assembly
RH2-AAC(-HD)

K-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5




Title: H. Condenser Assembly Model: RH2-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 to Q-5								
1	Condenser	Heatcraft 3CZ1002C-12x15	2A0261-01	1								
2	Shroud – Condenser	GS	2A1686-01	1								
2a	T2 Screw	4x8, SS	7P32-0408	8								
3	Motor – Cond Fan	SPGE9HBE1	4A0408-01	1								
4	Blade – Fan Ref	Air Drive AD9CW30UBA38	3A0436-01	1								
5	Hex Nut	¼"-20 Zinc Plated	4A1345-01	1								
6	Bracket – Cond Fan	GS	3A1564-01	1								
6a	Truss Head Screw	5x12	7C32-0512	4								
7	Base – Condenser	GS	2A1217-01	1								
8	Insert – Threaded	-	4A0407-01	5								
9	Retainer – Filter	-	4A2138-01	1								
9a	T2 Screw	4x8, SS	7P32-0408	2								

H. Condenser Assembly

RH3-AAC(-HD)


K-0, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, Q-5



Title: H. Condenser Assembly Model: RH3-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 to Q-5								
1	Condenser	-	2A1166-01	1								
2	Shroud – Condenser	GS	2A1715-01	1								
2a	T2 Screw	4x6, SS	7P32-0406	8								
3	Motor – 16W	SPGE9HBE1	4A0815-01	1								
4	Blade – Fan (Puller)	-	3A0608-01	1								
5	Hex Nut	1/4"-20 ZINC PLATED	4A1345-01	1								
6	Bracket – Cond Fan	GS	3A1564-01	1								
6a	Truss Head Screw	5x12, SS	7C32-0512	4								
7	Base – Condenser	GS	2A1168-01	1								
8	Insert – Threaded	-	4A0407-01	5								
9	Retainer – Filter	-	4A2138-01	1								
9a	T2 Screw	4x8, SS	7P32-0408	2								

J. Body-Prefinal RH1-AAC(-HD)

K-0, K-1, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5




M-6 and earlier for RH1-AAC
L-5 and earlier for RH1-AAC-HD

The santoprene light socket was changed to a porcelain lampholder at M-7 for FH1-AAC and at M-5 for FH2-AAC-HD. This change is non-interchangeable. If the light socket is not operating on a unit with a santoprene light socket, Hoshizaki recommends replacement with HS-3554.

Note:

Parts 4, 5 and 5a are not included in HS-3554; they are shown for reference only.




Title: J. Body-Prefinal Model: RH1-AAC(-HD)											
Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0	K-1 to L-5	M-5 M-6	M-7 to N-7				
1	Cabinet Prefoam (1 Sec)	-	1A0173G03	1	1	1	1				
2	Distributor – Air Top Assm	ABS	2A0438G01	1	1	1	1				
2a	T2 Screw	4x8, SS, SS	7P32-0408	7	7	7	7				
3	Pilaster	AL	3A0145-21	4	4	4	4				
3a	Truss Head Screw	5x10, SS	7C32-0510	12	12	12	12				
4	Bulb – Light	GE, 40A15	4A0437-01	1	1	-					
			4A2420-01			1	1				
5	Shield – Light	STANDARD KEIL, 2778-1010-3000	4A0465-01	1	1	1	1				
5a	Cheese Head Screw	5x12, SS	7C52-0512	2	2	2	2				
5b	Washer	RH1-AAC 8, SS	7W22-0800	2	2	2	-				
		RH1-AAC-HD 8, SS		2	2	-					
6	Switch – Door	RH1-AAC NYLON	3A1386-01	1	-						
			3A1826-01		1	1	1				
		RH1-AAC-HD NYLON	3A1386-01	2	-						
			3A1826-01		2	2	2				
7	Vinyl Hose	L=1700	773013812	1	1	1	1				
8	Bushing	OCB-875	428394-04	2	2	2	2				
9	Threaded Insert (Wide)	RH1-AAC	4A0839-01				2				
		RH1-AAC-HD				2	2				
10	Lampholder	RH1-AAC	4A2862-01	Non-interchangeable part change. If light socket is not operating for these codes, Hoshizaki recommends replacement with HS-3554 (below).			1				
		RH1-AAC-HD					1	1			

HS-3554-Lampholder Conversion Kit											
Index No.	Description	Material or Model Number	Part Number	Required Number							
				M-6 and earlier for RH1-AAC L-5 and earlier for RH1-AAC-HD							
HS1	Plate – Lampholder Mount	SS	4A2880-01	1							
HS1a	Cheese Head Screw	SS	7C52-0512	2							
HS2	Lampholder		4A2862-01	1							
HS2a	Terminal – Flag	DNFR18-250FIBK	8101-18FJ	2							

J. Body-Prefinal RH2-AAC(-HD)


K-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5



Title: J. Body-Prefinal Model: RH2-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0	L-5 to P-6	P-7 Q-5						
1	Cabinet – Prefoam	RH2-AAC	2A0706G04	1	1	1						
		RH2-AAC-HD	2A1346G02	1	1	1						
2	Pilaster	AL	3A0145-21	4	4	4						
2a	Truss Head Screw	5x10, SS	7C32-0510	12	12	12						
2b	Threaded Insert	M5	4A0407-01	12	12	12						
3	Switch – Door	RH2-AAC NYLON	3A1386-01	2	-							
			3A1826-01		2	2						
		RH2-AAC-HD NYLON	3A1386-01	4	-							
			3A1826-01		4	4						
4	Vinyl Hose	L=1700	7730I3812	1	1	1						
5	Baffle – Air	-	2A0625-01	1	1	1						
5a	Truss Head Screw	5x10, SS	7C32-0510	2	2	2						
6	Pilaster – Mullion	AL	2A0205-21	2	2	-						
			2A3246-21			2						
6a	Truss Head Screw	5x10, SS	7C32-0510	6	6	6						
7	Divider – Air	-	2A0199-21	1	1	1						
7a	T2 Screw	4x8, SS	7P32-0408	4	4	4						
8	Bushing	OCB-875	428394-04	4	4	4						

J. Body-Prefinal
RH3-AAC(-HD)

K-0, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, Q-5




Title: J. Body-Prefinal Model: RH3-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 to P-5	Q-5							
1	Cabinet – Prefoam	RH3-AAC	2A1018G03	1	1							
		RH3-AAC-HD	2A1398G02	1	1							
2	Pilaster	AL	3A0145-21	4	4							
2a	Truss Head Screw	5×10, SS, SS	7C32-0510	12	12							
2b	Threaded Inserts	M5	4A0407-01	12	12							
3	Switch – Door	RH3-AAC NYLON	3A1826-01	3	3							
		RH3-AAC-HD NYLON		6	6							
4	Vinyl Hose	L=1700	7730I3812	1	1							
5	Divider – Air	-	2A1101-21	1	1							
5a	T2 Screw	4×8, SS, SS	7P32-0408	4	4							
6	Pilaster – Mullion	AL	2A0205-21	4	-							
			2A3246-21		4							
6a	Truss Head Screw	5×10, SS	7C32-0510	12	12							
7	Bushing	OCB-875	428394-04	6	6							

K. Door-Right

RH1-AAC, RH2-AAC, RH3-AAC

K-0, K-1, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5




Title: K. Door-Right Model: RH1-AAC, RH2-AAC, RH3-AAC												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0	K-1 to Q-5							
1	Door – Prefoam (R)	-	1A0317G01	1	-							
			1A0317G03		1							
2	Lock – Tumbler	M4-5813-001	4A0462-01	1	1							
3	Lock – Stop Washer	M5-8060-103	4A0458-01	1	1							
4	Cam – Door Lock	P.S	4A0228-01	1	1							
5	Lock – Screw	SS	4A0461-01	1	1							
6	Gasket – Door	JARROW #P-2209 244A GRAY	3A0273-01	1	1							
7	Lock Washer	SS	4A0459-01	1	1							
8	Lock – Key	M5-0680-111	4A0460-01	1	1							
9	Washer – Door Lock	SS	4A0670-01	1	1							
10	Hinge – Spring	-	4A3312-01	1	1							
11	Hinge – Spring Cart		4A0438-01	1	1							

L. Door-Left

RH2-AAC, RH3-AAC

K-0, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5




Title: **L. Door-Left** Model: **RH2-AAC, RH3-AAC**

Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0	L-0 to Q-5							
1	Door – Prefoam (L)	-	1A0317G02	1	-							
			1A0317G04		1							
2	Lock – Tumbler	M4-5813-001	4A0462-01	1	1							
3	Lock – Stop Washer	M5-8060-103	4A0458-01	1	1							
4	Cam – Door Lock	P.S	4A0228-01	1	1							
5	Lock – Screw	SS	4A0461-01	1	1							
6	Gasket – Door	JARROW #P-2209 244A GRAY	3A0273-01	1	1							
7	Lock Washer	SS	4A0459-01	1	1							
8	Lock – Key	M5-0680-111	4A0460-01	1	1							
9	Washer – Door Lock	SS	4A0670-01	1	1							
10	Hinge – Spring		4A3312-02	1	1							
11	Hinge – Spring Cart		4A0438-02	1	1							

M. Door-Half (UR)


RH1-AAC-HD, RH2-AAC-HD, RH3-AAC-HD

K-0, K-1, L-0, L-5, M-5, N-5, N-6, P-5, P-6, Q-5




Title: M. Door-Half (UR) Model: RH1-AAC-HD, RH2-AAC-HD, RH3-AAC-HD										
Index No.	Description	Material or Model Number	Part Number	Required Number						
				K-0	K-1 to Q-5					
1	Door – Prefoam (UR)	-	1A0325G01	1	-					
			1A0325G03		1					
2	Lock – Tumbler	M4-5813-001	4A0462-01	1	1					
3	Lock – Stop Washer	M5-8060-103	4A0458-01	1	1					
4	Cam – Door Lock	P.S	4A0228-01	1	1					
5	Lock – Screw	SS	4A0461-01	1	1					
6	Gasket – Door (Half)	JARROW #P-2209 244A GRAY	3A0273-02	1	1					
7	Lock Washer	SS	4A0459-01	1	1					
8	Lock – Key	M5-0680-111	4A0460-01	1	1					
9	Washer – Door Lock	SS	4A0670-01	1	1					
10	Hinge – Spring		4A3312-01	1	1					
11	Hinge – Spring Cart		4A0438-01	1	1					

N. Door-Half (LR)
RH1-AAC-HD, RH2-AAC-HD, RH3-AAC-HD
 K-0, K-1, L-0, L-5, M-5, N-5, N-6, P-5, P-6, Q-5




Title: N. Door-Half (LR) Model: RH1-AAC-HD, RH2-AAC-HD, RH3-AAC-HD											
Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0 K-1	L-0	L-5 to N-5	N-6 to Q-5				
1	Door – Prefoam (LR)	-	1A0323G01	1	-						
			1A0323G03		1	1	1				
2	Lock – Tumbler	M4-5813-001	4A0462-01	1	1	1	1				
3	Lock – Stop Washer	M5-8060-103	4A0458-01	1	1	1	1				
4	Cam – Door Lock	P.S	4A0228-01	1	1	1	1				
5	Lock – Screw	SS	4A0461-01	1	1	1	1				
6	Gasket – Door (Half)	JARROW #P-2209 244A GRAY	3A0273-02								
7	Lock Washer	SS	4A0459-01	1	1	1	1				
8	Lock – Key	M5-0680-111	4A0460-01	1	1	1	1				
9	Washer – Door Lock	SS	4A0670-01	1	1	1	1				
10	Hinge – Spring		4A3312-01	1	1	1	1				
11	Hinge – Spring Cart		4A0438-01	1	1	1	1				

P. Door-Half (UL)
RH2-AAC-HD, RH3-AAC-HD
 K-0, L-5, N-5, N-6, P-5, P-6, Q-5



Title: P. Door-Half (UL) Model: RH2-AAC-HD, RH3-AAC-HD										
Index No.	Description	Material or Model Number	Part Number	Required Number						
				K-0	L-5 to Q-5					
1	Door – Prefoam (UL)	-	1A0323G02	1	-					
			1A0323G04		1					
2	Lock – Tumbler	M4-5813-001	4A0462-01	1	1					
3	Lock – Stop Washer	M5-8060-103	4A0458-01	1	1					
4	Cam – Door Lock	P.S	4A0228-01	1	1					
5	Lock – Screw	SS	4A0461-01	1	1					
6	Gasket – Door (Half)	JARROW #P-2209 244A GRAY	3A0273-02	1	1					
7	Lock Washer	SS	4A0459-01	1	1					
8	Lock – Key	M5-0680-111	4A0460-01	1	1					
9	Washer – Door Lock	SS	4A0670-01	1	1					
10	Hinge – Spring		4A3312-02	1	1					
11	Hinge – Spring Cart		4A0438-02	1	1					


Q. Door-Half (LL)
RH2-AAC-HD, RH3-AAC-HD
 K-0, L-5, N-5, N-6, P-5, P-6, Q-5



Title: Q. Door-Half (LL) Model: RH2-AAC-HD, RH3-AAC-HD										
Index No.	Description	Material or Model Number	Part Number	Required Number						
				K-0	L-5 to Q-5					
1	Door – Prefoam (LL)	-	1A0325G02	1	-					
			1A0325G04		1					
2	Lock – Tumbler	M4-5813-001	4A0462-01	1	1					
3	Lock – Stop Washer	M5-8060-103	4A0458-01	1	1					
4	Cam – Door Lock	P.S	4A0228-01	1	1					
5	Lock – Screw	SS	4A0461-01	1	1					
6	Gasket – Door (Half)	JARROW #P-2209 244A GRAY	3A0273-02	1	1					
7	Lock Washer	SS	4A0459-01	1	1					
8	Lock – Key	M5-0680-111	4A0460-01	1	1					
9	Washer – Door Lock	SS	4A0670-01	1	1					
10	Hinge – Spring	-	4A3312-02	1	1					
11	Hinge – Spring Cart		4A0438-02	1	1					

R. Mullion-Horizontal **RH1-AAC-HD**


K-0, K-1, L-0, L-5, M-5, N-6, P-5, P-6, Q-5



Title: R. Mullion-Horizontal Model: RH1-AAC-HD												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 to Q-5								
1	Mullion – Prefoam (H)	-	2A1313G02	1								
2	Plate – Strike (Front)	SS	4A0355-01	1								
2a	Truss Head Screw	4x8, SS	7C32-0408	1								
3	Plate – Strike (Base)	SS	4A0354-01	1								
3a	T2 Screw	4x8, SS	7P32-0408	2								

S. Mullion-Vertical RH2-AAC, RH3-AAC

K-0, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5




M-6 and earlier

The santoprene light socket was changed to a porcelain lampholder at M-7. This change is non-interchangeable. If the light socket is not operating on a unit with a santoprene light socket, Hoshizaki recommends replacement with HS-3554.

Note:



Parts 5, 6 and 6a are not included in HS-3554; they are shown for reference only.



Title: S. Mullion-Vertical Model: RH2-AAC, RH3-AAC											
Index No.	Description	Material or Model Number	Part Number	Required Number							
				K-0 to L-5	M-5 M-6	M-7 to P-6	P-7 Q-5				
1	Mullion – Prefoam	-	2A1288G03	1	1	1					
2	Pilaster – Mullion	AL	2A0205-21	2	2	2	-				
			2A3246-21				2				
2a	Truss Head Screw	5x10, SS	7C32-0510	6	6	6	6				
3	Plate – Strike (Front)	SS	4A0355-01	1	1	1	1				
3a	Truss Head Screw	4x8, SS	7C32-0408	1	1	1	1				
4	Plate – Strike (Base)	SS	4A0354-01	1	1	1	1				
4a	T2 Screw	4x8, SS	7P32-0408	2	2	2	2				
5	Bulb – Light	GE, 40A15	4A0437-01	1	-						
		-	4A2420-01		1	1	1				
6	Shield – Light	2778-1010-3000	4A0465-01	1	1	1	1				
6a	Cheese Head Screw	5x12, SS	7C52-0512	2	2	2	2				
6b	Washer	8, SS	7W22-0800	2	2	-					
7	Threaded Insert (Wide)		4A0839-01	Non-interchangeable part change. If light socket is not operating for these codes, Hoshizaki recommends replacement with HS-3554 (below).		2	2				
8	Lampholder	-	4A2862-01			1	1				

HS-3554-Lampholder Conversion Kit											
Index No.	Description	Material or Model Number	Part Number	Required Number							
				M-6 and earlier							
HS1	Plate – Lampholder Mount	SS	4A2880-01	1							
HS1a	Cheese Head Screw	SS	7C52-0512	2							
HS2	Lampholder		4A2862-01	1							
HS2a	Terminal – Flag	DNFR18-250FIBK	8101-18FJ	2							

T. Mullion-Cross
RH2-AAC-HD, RH3-AAC-HD
 K-0, L-5, N-5, N-6, P-5, P-6, Q-5




L-5 and earlier

The santoprene light socket was changed to a porcelain lampholder at N-5. This change is non-interchangeable. If the light socket is not operating on a unit with a santoprene light socket, Hoshizaki recommends replacement with HS-3554.

Note:


Parts 5, 6 and 6a are not included in HS-3554; they are shown for reference only.



Title: T. Mullion-Cross Model: RH2-AAC-HD, RH3-AAC-HD												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0	L-5	N-5 to P-6	Q-5					
1	Mullion – Prefoam	-	2A1351G02	1	1	1	1					
2	Pilaster – Mullion	AL	2A0205-21	2	2	2	-					
			2A3246-21				2					
2a	Truss Head Screw	5x12, SS	7C32-0512	6	6	6	6					
3	Plate – Strike (Front)	SS	4A0355-01	2	2	2	2					
3a	Truss Head Screw	4x8, SS	7C32-0408	2	2	2	2					
4	Plate – Strike (Base)	SS	4A0354-01	2	2	2	2					
4a	T2 Screw	4x8, SS	7P32-0408	4	4	4	4					
5	Bulb – Light	GE, 40A15	4A0437-01	1	-							
		-	4A2420-01		1	1	1					
6	Shield – Light	2778-1010-3000	4A0465-01	1	1	1	1					
6a	Cheese Head Screw	5x12, SS	7C52-0512	2	2	2	2					
6b	Washer	8, SS	7W22-0800	2	2	-	-					
7	Threaded Insert (Wide)		4A0839-01	Non-interchangeable part change. If light socket is not operating for these codes, Hoshizaki recommends replacement with HS-3554 (below).		2	2					
8	Lampholder	-	4A2862-01			1	1					

HS-3554-Lampholder Conversion Kit												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				L-5 and earlier								
HS1	Plate – Lampholder Mount	SS	4A2880-01	1								
HS1a	Cheese Head Screw	SS	7C52-0512	2								
HS2	Lampholder		4A2862-01	1								
HS2a	Terminal – Flag	DNFR18-250FIBK	8101-18FJ	2								

U. Mullion-Tee
RH3-AAC-HD
 K-0, N-6, Q-5




K-0

The santoprene light socket was changed to a porcelain lampholder at N-6. This change is non-interchangeable. If the light socket is not operating on a unit with a santoprene light socket, Hoshizaki recommends replacement with HS-3554.

Note:

Parts 5, 6 and 6a are not included in HS-3554; they are shown for reference only.




Title: U. Mullion-Tee Model: RH3-AAC-HD												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0	N-6	Q-5						
1	Mullion – Prefoam	-	2A1384G02	1	1	1						
2	Pilaster – Mullion	AL	2A0205-21	2	2	-						
			2A3246-21			2						
2a	Truss Head Screw	5×10, SS	7C32-0510	6	6	6						
3	Plate – Strike (Front)	SS	4A0355-01	1	1	1						
3a	Truss Head Screw	4×8, SS	7C32-0408	1	1	1						
4	Plate – Strike (Base)	SS	4A0354-01	1	1	1						
4a	T2 Screw	4×8, SS	7P32-0408	2	2	2						
5	Bulb – Light	GE, 40A15	4A0437-01	1	-							
		-	4A2420-01		1	1						
6	Shield – Light	2778-1010-3000	4A0465-01	1	1	1						
6a	Cheese Head Screw	5×12, SS	7C52-0512	2	2	2						
6b	Washer	8, SS	7W22-0800	2	-							
7	Threaded Insert (Wide)	-	4A0839-01	Non-interchangeable part change. If light socket is not operating for these codes, Hoshizaki recommends replacement with HS-3554 (below).	2	2						
8	Lampholder	-	4A2862-01		1	1						

HS-3554-Lampholder Conversion Kit												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0								
HS1	Plate – Lampholder Mount	SS	4A2880-01	1								
HS1a	Cheese Head Screw	SS	7C52-0512	2								
HS2	Lampholder		4A2862-01	1								
HS2a	Terminal – Flag	DNFR18-250FIBK	8101-18FJ	2								

V. Label Location

RH1-AAC(-HD)

K-0, K-1, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5




Title: V. Label Location Model: RH1-AAC(-HD)										
Index No.	Description	Material or Model Number	Part Number	Required Number						
				K-0 to Q-5						
1	Label – Penguin HA (L)	-	4A0526-02	1						
2	Emblem – Hoshizaki	-	4A0560-01	1						
3	Label – Door Heater Switch	PVC FILM	4A1039-01	1						
4	Caution Label	PVC FILM	4A1931-01	1						
5	Wiring Diagram	PVC FILM	2A2350-01	1						
6	Label – R134a	-	444463-01	1						
7	Label – Power	-	4A2196-01	1						
8	Label – Display	-	4A2198-01	1						
9	Cover – Nameplate	-	4A3727-01	1						

V. Label Location

RH2-AAC(-HD)


K-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5



Title: V. Label Location Model: RH2-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 to Q-5								
1	Label – Penguin-ha(L)	-	4A0526-02	1								
2	Emblem – Hoshizaki	-	4A0560-01	1								
3	Label – Door Heater Switch	PVC FILM	4A1039-01	1								
4	Caution Label	PVC FILM	4A1931-01	1								
5	Wiring Diagram	PVC FILM	2A2352-01	1								
6	Label – R134a	-	444463-01	1								
7	Label – Power	-	4A2196-01	1								
8	Label – Display	-	4A2198-01	1								
9	Label – Warning	-	4A2968-01	1								
10	Cover – Nameplate	-	4A3727-01	1								

V. Label Location RH3-AAC(-HD)

K-0, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, Q-5



Title: V. Label Location Model: RH3-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 to N-6								
1	Label – Penguin HA (L)	-	4A0526-02	1								
2	Emblem – Hoshizaki	-	4A0560-01	1								
3	Label – Door Heater Switch	PVC FILM	4A1039-01	1								
4	Caution Label	PVC FILM	4A1931-01	1								
5	Wiring Diagram	PVC FILM	2A2354-01	1								
6	Label – R134a	-	444463-01	1								
7	Label – Power	-	4A2196-01	1								
8	Label – Display	-	4A2198-01	1								
9	Label – Warning	-	4A2968-01	1								
10	Cover – Nameplate	-	4A3727-01	1								

W. Literature & Packaging

RH1-AAC(-HD), RH2-AAC(-HD), RH3-AAC(-HD)

K-0, K-1, L-0, L-5, M-5, M-6, M-7, N-5, N-6, P-5, P-6, P-7, Q-5

Title: W. Literature & Packaging Model: RH1-AAC(-HD), RH2-AAC(-HD), RH3-AAC(-HD)												
Index No.	Description	Material or Model Number	Part Number	Required Number								
				K-0 to P-7	Q-5							
1	Instruction Manual	Paper	91A34010L	1	1							
Packaging (available only for models currently in production)												
		RH1-AAC	1A0765A04	1	1							
		RH1-AAC-HD	1A0765A05	1	1							
		RH2-AAC	1A0766A06	1	1							
		RH2-AAC-HD	1A0766A07	1	1							
		RH3-AAC	1A0767A06	1	1							
		RH3-AAC-HD	1A0767A07	1	1							
1	Filler – Door		4A2977-01	2	2							
2	Pad – Corner		3A2598-01	4	4							
3	Post – Corner		3A2603-01	4	4							
4	Support – Corner		3A2596-01	4	4							
5	T2 Screw	4x8, SS	7P32-0408	4	4							
6	Bracket (A) – Overflow Pan		4A0878-01	1	1							
7	Bracket (B) – Overflow Pan		4A0879-01	1	1							
8	Pan – Overflow		4A2081-01	1	-							
			4A3419G01		1							
9	Stop – Door		4A1873-01	1	1							
10	Flat Washer		7W2115800	4	4							
11	Hex Head Bolt		7B01 I5825	4	4							
12	Pallet		3A1814-01	1	1							
13	Door Stop – Center	Half-Door Models Only	4A1874-01	1	1							
14	Protector – Front	RH2-AAC(-HD) RH3-AAC(-HD)	3A2595-01	1	1							