

HOSHIZAKI

Parts List

Stackable Crescent Cuber

Models KM-1900SAJ/3 KM-1900SWJ/3 KM-1900SRJ/3



Number: 71384 Issued: 8-31-2017 Revised: 10-31-2017

CONTENTS

| Auxiliary Codes | 3 |
|--|----|
| Note About Ordering Parts | |
| A. Main Assembly & Refrigeration Circuit | |
| KM-1900SAJ/3 | |
| KM-1900SWJ/3 | 6 |
| KM-1900SRJ/3 | |
| B. Water Circuit | 10 |
| C. Control Box Assembly | 13 |
| D. Accessories & Labels | |

Auxiliary Codes

KM-1900SAJ

G-0 May 2017

KM-1900SAJ3

G-0 May 2017

KM-1900SWJ

G-0 May 2017

KM-1900SWJ3

G-0 May 2017

KM-1900SRJ

G-0 May 2017

KM-1900SRJ3

G-0 May 2017

Auxiliary Code Breakdown


The auxiliary code is the first two characters in the serial number. The first character indicates the year. Years progress or regress in alphabetical order. The series runs from "A" through "V" and the letters "I" and "O" are skipped. The second character indicates significant part changes within a year. Base is "0" and this number advances for each change. In cases where there is a letter in parentheses, this designates the month. This is the last character in the serial number. The series runs from "(A)" through "(M)" and the letter "(I)" is skipped. This designation is only included when identifying a parts change within an auxiliary code.

Note About Ordering Parts


Most assemblies cannot be ordered as complete units; parts in the assemblies generally must be ordered separately.

A. Main Assembly & Refrigeration Circuit KM-1900SAJ/3

G-0



Model Shown: KM-1900SAJ




KM-1900SAJ3

| Index Description | Title: A. Main Assembly & Refrigeration Circuit Model: KM-1900SAJ/3 | | | | | | | | | | | | |
|---|---|---------------------------------|-------------------|---------------|-----|----------|--|-------|-------|----------|----------|----------|--|
| No. Description Model Number Part Number G-0 | Index | | Material or | | | | | Requi | red N | umber | | | |
| Front Panel | No. | Description | | Part Number | G-0 | | | | | | | | |
| 2 Gasket | | | Ma | ain Assembly | | | | | | | | | |
| 3 Top Panel | 1 | Front Panel | | 3A1800G01 | 1 | | | | | | | | |
| A Right Side Panel | 2 | Gasket | L=1219 mm | 4A0808L02 | 1 | | | | | | İ | | |
| Front Insulation | 3 | Top Panel | | 2A2255-01 | 1 | | | | | | | | |
| Front Insulation | 4 | Right Side Panel | | 215381G02 | 1 | | | | | | | | |
| Control Box Cover | 5 | Front Insulation | | 326041G01 | 1 | | | | | | | | |
| Spacer | 5a | Thumbscrew | | 415949G10 | 1 | | | | | | | | |
| 8 Control Box Cover 3A2386-01 1 1 1 1 1 1 1 1 1 | 6 | Top Insulation | | 324216G01 | 1 | | | | | | | | |
| 9 Junction Box Cover | 7 | Spacer | | 324321-01 | 1 | | | | | | | | |
| 10 Louver | 8 | Control Box Cover | | 3A2386-01 | 1 | | | | | | | | |
| 10a | 9 | Junction Box Cover | | 433410-01 | 1 | | | | | | | | |
| 11 | 10 | Louver | | 1A0548-01 | 4 | | | | | | | | |
| 12 Mechanical Bin Control 2A4393G01 1 1 1 1 1 1 1 1 1 | 10a | Push Retainer | | 4A2414-01 | 12 | | | | | | | | |
| 12a Thumbscrew 415949G10 2 | 11 | Air Filter | | 2A2063G01 | 4 | | | | | | | | |
| 13 Mechanical Bin Control Mounting Bracket Mounting Bracket | 12 | Mechanical Bin Control | | 2A4393G01 | 1 | | | | | | | | |
| Mounting Bracket | 12a | Thumbscrew | | 415949G10 | 2 | | | | | | | | |
| 13a Thumbscrew | 13 | | | 3A5726-01 | 1 | | | | | | | | |
| 15 Voltage Tap Switch KM-1900SAJ3 4A1477-01 1 | 13a | | | 415949G10 | 2 | | | | | | | | |
| Refrigeration Circuit | 14 | Main Transformer | KM-1900SAJ3 | 4A5695-01 | 1 | | | | | | | | |
| Refrigeration Circuit | 15 | Voltage Tap Switch | KM-1900SAJ3 | 4A1477-01 | 1 | | | | | | | | |
| Compressor KM-1900SAJ 4A4581-01 1 | | | | | | | | | | | | | |
| Compressor KM-1900SAJ 4A4581-01 1 | | | Refri | geration Circ | uit | | | | | | | | |
| KM-1900SAJ3 4A4582-01 1 | 16 | Compressor | | | | | | | | | | | |
| 17 Condenser 2A1991-01 1 18 Evaporator Bank (Right or Left) SP-5261 2 19 Separator Hook 324152-01 8 20 Heat Exchanger 1A4462G01 1 21 Thermostatic Expansion Valve 3A0944-01 3 22 Thermostatic Expansion Valve Cover 3A0107-01 3 <td></td> <td>·</td> <td>KM-1900SAJ3</td> <td>4A4582-01</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | · | KM-1900SAJ3 | 4A4582-01 | 1 | | | | | | | | |
| 18 Evaporator Bank (Right or Left) SP-5261 2 19 Separator Hook 324152-01 8 20 Heat Exchanger 1A4462G01 1 21 Thermostatic Expansion Valve 4A1414-01 3 22 Thermostatic Expansion Valve Cover 3A0944-01 3 23 Thermostatic Expansion Valve Bulb Holder 3A0107-01 3 </td <td>17</td> <td>Condenser</td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | 17 | Condenser | | | 1 | | | | | | | | |
| 19 Separator Hook 324152-01 8 | 18 | Evaporator Bank (Right or Left) | | | 2 | | | | | | | | |
| 20 Heat Exchanger 1A4462G01 1 | 19 | | | 324152-01 | 8 | | | | | | | | |
| 21 Thermostatic Expansion Valve 4A1414-01 3 22 Thermostatic Expansion Valve Cover 3A0944-01 3 23 Thermostatic Expansion Valve Bulb Holder 3A0107-01 3 24 Hot Gas Valve Body 4A3978-01 1 25 Liquid Line Valve Body 4A3276-01 1 26 Valve Coil 4A3277-01 2 27 Check Valve 4A1373-01 3 28 Strainer 441569-02 1 29 High-Pressure Switch 463180-04 1 30 Thermistor 429006-03 1 31 Thermistor Holder 438247-01 1 32 Fan Motor 4A3158-01 2 33 Fan Blade 4A0197-01 2 | 20 | · | | | 1 | | | | | | | | |
| 22 Thermostatic Expansion Valve Cover 3A0944-01 3 | _ | | | | 3 | | | | | | | | |
| Cover 3A0107-01 3 23 Thermostatic Expansion Valve Bulb Holder 3A0107-01 3 24 Hot Gas Valve Body 4A3978-01 1 25 Liquid Line Valve Body 4A3276-01 1 26 Valve Coil 4A3277-01 2 27 Check Valve 4A1373-01 3 28 Strainer 441569-02 1 29 High-Pressure Switch 463180-04 1 30 Thermistor 429006-03 1 31 Thermistor Holder 438247-01 1 32 Fan Motor 4A3158-01 2 32 Self-Locking Nut 7N2110832 8 33 Fan Blade 4A0197-01 2 | 22 | | | | 3 | | | | | | | | |
| Bulb Holder 4A3978-01 1 1 24 Hot Gas Valve Body 4A3276-01 1 1 25 Liquid Line Valve Body 4A3276-01 1 1 26 Valve Coil 4A3277-01 2 1 27 Check Valve 4A1373-01 3 1 28 Strainer 441569-02 1 1 29 High-Pressure Switch 463180-04 1 1 30 Thermistor 429006-03 1 1 31 Thermistor Holder 438247-01 1 1 32 Fan Motor 4A3158-01 2 2 32a Self-Locking Nut 7N2110832 8 3 33 Fan Blade 4A0197-01 2 1 | | Cover | | | | | | | | | | | |
| 25 Liquid Line Valve Body 4A3276-01 1 26 Valve Coil 4A3277-01 2 27 Check Valve 4A1373-01 3 28 Strainer 441569-02 1 29 High-Pressure Switch 463180-04 1 30 Thermistor 429006-03 1 31 Thermistor Holder 438247-01 1 32 Fan Motor 4A3158-01 2 32a Self-Locking Nut 7N2110832 8 33 Fan Blade 4A0197-01 2 | 23 | Bulb Holder | | | | | | | | | | | |
| 26 Valve Coil 4A3277-01 2 27 Check Valve 4A1373-01 3 28 Strainer 441569-02 1 29 High-Pressure Switch 463180-04 1 30 Thermistor 429006-03 1 31 Thermistor Holder 438247-01 1 32 Fan Motor 4A3158-01 2 32a Self-Locking Nut 7N2110832 8 33 Fan Blade 4A0197-01 2 | | - | | | | | | | | <u> </u> | <u> </u> | <u> </u> | |
| 27 Check Valve 4A1373-01 3 28 Strainer 441569-02 1 29 High-Pressure Switch 463180-04 1 30 Thermistor 429006-03 1 31 Thermistor Holder 438247-01 1 32 Fan Motor 4A3158-01 2 32a Self-Locking Nut 7N2110832 8 33 Fan Blade 4A0197-01 2 | 25 | • | | | | igsquare | | | | <u> </u> | <u> </u> | <u> </u> | |
| 28 Strainer 441569-02 1 29 High-Pressure Switch 463180-04 1 30 Thermistor 429006-03 1 31 Thermistor Holder 438247-01 1 32 Fan Motor 4A3158-01 2 32a Self-Locking Nut 7N2110832 8 33 Fan Blade 4A0197-01 2 | | | | | | ļļ | | | | <u> </u> | <u> </u> | <u> </u> | |
| 29 High-Pressure Switch 463180-04 1 1 30 Thermistor 429006-03 1 1 31 Thermistor Holder 438247-01 1 1 32 Fan Motor 4A3158-01 2 2 32a Self-Locking Nut 7N2110832 8 3 33 Fan Blade 4A0197-01 2 3 | _ | | | | 3 | igsqcut | | | | <u> </u> | <u> </u> | <u> </u> | |
| 30 Thermistor 429006-03 1 < | 28 | | | | 1 | igsquare | | | | | | <u> </u> | |
| 31 Thermistor Holder 438247-01 1 1 32 Fan Motor 4A3158-01 2 2 32a Self-Locking Nut 7N2110832 8 3 33 Fan Blade 4A0197-01 2 2 | 29 | | | | | igsquare | | | | <u> </u> | <u> </u> | <u> </u> | |
| 32 Fan Motor 4A3158-01 2 | 30 | | | | 1 | igsquare | | | | | <u> </u> | <u> </u> | |
| 32a Self-Locking Nut 7N2110832 8 8 33 Fan Blade 4A0197-01 2 9 | | Thermistor Holder | | | | igsqcut | | | | <u> </u> | <u> </u> | <u> </u> | |
| 33 Fan Blade 4A0197-01 2 | | | | | | igsquare | | | | | | <u> </u> | |
| | 32a | Self-Locking Nut | | | 8 | oxed | | | | | | <u> </u> | |
| 34 Fan Motor Capacitor 5.0MFD, 443192-02 2 | 33 | Fan Blade | | 4A0197-01 | 2 | | | | | | | | |
| 250VAC | 34 | Fan Motor Capacitor | 5.0MFD, 250VAC | 443192-02 | 2 | | | | | | | | |
| 35 Drier 4A1338-01 1 | 35 | Drier | | 4A1338-01 | 1 | | | | | | | | |

A. Main Assembly & Refrigeration Circuit KM-1900SWJ/3


G-0




| Title: A | Main Assembly & Refrigeratio | n Circuit Mod | lel: KM-1900S | WJ/3 | | | | | |
|----------|--|---------------|----------------|------|------|---------|--------|---|--|
| Index | , , | Material or | | | Re | equired | Number | r | |
| No. | Description | Model Number | Part Number | G-0 | | | | | |
| | | Ma | in Assembly | | | | | | |
| 1 | Front Panel | | 3A1838G01 | 1 | | | | | |
| 2 | Gasket | L=1219 mm | 4A0808L02 | 1 | | | | | |
| 3 | Top Panel | | 2A2255-01 | 1 | | | | | |
| 4 | Right Side Panel | | 215381G02 | 1 | | | | | |
| 5 | Front Insulation | | 326041G01 | 1 | | | | | |
| 5a | Thumbscrew | | 415949G10 | 1 | | | | | |
| 6 | Top Insulation | | 324216G01 | 1 | | | | | |
| 7 | Spacer | | 324321-01 | 1 | | | | | |
| 8 | Control Box Cover | | 3A2386-01 | 1 | | | | | |
| 9 | Junction Box Cover | | 433410-01 | 1 | | | | | |
| 10 | Mechanical Bin Control | | 2A4393G01 | 1 | | | | | |
| 10a | Thumbscrew | | 415949G10 | 2 | | | | | |
| 11 | Mechanical Bin Control Mounting Bracket | | 3A5726-01 | 1 | | | | | |
| 11a | Thumbscrew | | 415949G10 | 1 | | | | | |
| 12 | Main Transformer | KM-1900SWJ3 | 4A5695-01 | 1 | | | | | |
| 13 | Voltage Tap Switch | KM-1900SWJ3 | 4A1477-01 | 1 | | | | | |
| | | | | | , | , | · | | |
| | | Refri | geration Circu | uit | | | | | |
| 14 | Compressor | KM-1900SWJ | 4A4581-01 | 1 | | | | | |
| | | KM-1900SWJ3 | 4A4582-01 | 1 | | | | | |
| 15 | Water-Cooled Condenser | | 3A7324-01 | 1 | | | | | |
| 16 | Water Regulating Valve | | 4A0911-07 | 1 | | | | | |
| 17 | Male Connector | | 4A1087-01 | 1 | | | | | |
| 18 | Evaporator Bank (Right or Left) | | SP-5261 | 2 | | | | | |
| 19 | Separator Hook | | 324152-01 | 8 | | | | | |
| 20 | Heat Exchanger | | 1A4467G01 | 1 | | | | | |
| 21 | Thermostatic Expansion Valve | | 4A1414-01 | 3 | | | | | |
| 22 | Thermostatic Expansion Valve Cover | | 3A0944-01 | 3 | | | | | |
| 23 | Thermostatic Expansion Valve Bulb Holder | | 3A0107-01 | 3 | | | | | |
| 24 | Hot Gas Valve Body | | 4A3978-01 | 1 | | | | | |
| 25 | Liquid Line Valve Body | | 4A3276-01 | 1 | | | | | |
| 26 | Valve Coil | | 4A3277-01 | 2 | | | | | |
| 27 | Check Valve | | 4A1373-01 | 3 | | | | | |
| 28 | Strainer | | 441569-02 | 1 | | | | | |
| 29 | High-Pressure Switch | | 463180-05 | 1 | | | | | |
| 30 | Thermistor | L=1050 mm | 429006-03 | 1 | | | | | |
| 31 | Thermistor Holder | | 438247-01 | 1 | | | | | |
| 32 | Drier | | 4A1338-01 | 1 | | | | | |

A. Main Assembly & Refrigeration Circuit KM-1900SRJ/3

G-0




Model Shown: KM-1900SRJ



KM-1900SRJ3


| Title: A. Main Assembly & Refrigeration Circuit Model: KM-1900SRJ/3 | | | | | | | | | | | | |
|---|---|-------------|----------------|-----|--|------|---|-------|--|--|--|--|
| Index | | Material or | | | | Requ | ired Nu | ımber | | | | |
| No. | Description | i e | Part Number | G-0 | | | | | | | | |
| | | Ma | in Assembly | | | | | | | | | |
| 1 | Front Panel | | 3A1838G01 | 1 | | | | | | | | |
| 2 | Gasket | L=1219 mm | 4A0808L02 | 1 | | | | | | | | |
| 3 | Top Panel | | 2A8390-01 | 1 | | T | | | | | | |
| 4 | Right Side Panel | | 2A8391-01 | 1 | | | | | | | | |
| 5 | Front Insulation | | 326041G01 | 1 | | | | | | | | |
| 5a | Thumbscrew | | 415949G10 | 1 | | | | | | | | |
| 6 | Top Insulation | | 324216G01 | 1 | | | | | | | | |
| 7 | Spacer | | 324321-01 | 1 | | | | | | | | |
| 8 | Control Box Cover | | 3A2386-01 | 1 | | | | | | | | |
| 9 | Junction Box Cover A | | 433410-01 | 1 | | | | | | | | |
| 10 | Junction Box Cover B | | 4A4704-01 | 1 | | | | | | | | |
| 11 | Mechanical Bin Control | | 2A4393G01 | 1 | | | | | | | | |
| 11a | Thumbscrew | | 415949G12 | 2 | | | | | | | | |
| 12 | Mechanical Bin Control Mounting Bracket | | 3A5726-01 | 1 | | | | | | | | |
| 12a | Thumbscrew | | 415949G12 | 1 | | | | | | | | |
| 13 | Main Transformer | KM-1900SRJ3 | 4A5695-01 | | | | | | | | | |
| 14 | Voltage Tap Switch | KM-1900SRJ3 | 4A1477-01 | 1 | | | | | | | | |
| | | | | | | | | | | | | |
| | | Refri | geration Circu | ıit | | | | | | | | |
| 15 | Compressor | KM-1900SRJ | 4A4581-01 | 1 | | | | | | | | |
| | | KM-1900SRJ3 | 4A4582-01 | 1 | | | | | | | | |
| 16 | Crankcase Heater | | 4A5397-02 | 1 | | | | | | | | |
| 17 | Receiver | | 440366-01 | 1 | | | | | | | | |
| 18 | Evaporator Bank (Right or Left) | | SP-5261 | 2 | | | | | | | | |
| 19 | Separator Hook | | 324152-01 | 8 | | | | | | | | |
| 20 | Heat Exchanger | | 1A4462G01 | 1 | | | | | | | | |
| 21 | Thermostatic Expansion Valve | | 4A1414-01 | 3 | | | | | | | | |
| 22 | Thermostatic Expansion Valve Cover | | 3A0944-01 | 3 | | | | | | | | |
| 23 | Thermostatic Expansion Valve Bulb Holder | | 3A0107-01 | 3 | | | | | | | | |
| 24 | Hot Gas Valve Body | | 4A3978-01 | 1 | | | | | | | | |
| 25 | Liquid Line Valve Body | | 4A3276-01 | 1 | | | $oxedsymbol{ox{oxedsymbol{ox{oxed}}}}}$ | | | | | |
| 26 | Valve Coil | | 4A3277-01 | 2 | | | $oxed{oxed}$ | | | | | |
| 27 | Check Valve | | 4A1373-01 | 3 | | | | | | | | |
| 28 | Strainer | | 441569-02 | 1 | | | $oxed{igspace}$ | | | | | |
| 29 | High-Pressure Switch | | 463180-04 | 1 | | | $oxed{oxed}$ | | | | | |
| 30 | Thermistor | L=1050 mm | 429006-03 | 1 | | | $oxed{oxed}$ | | | | | |
| 31 | Thermistor Holder | | 438247-01 | 1 | | | | | | | | |
| 32 | Drier | | 4A1338-01 | 1 | | | | | | | | |
| 33 | Liquid Line Coupling | | 426554-01 | 1 | | | \sqcup | | | | | |
| 34 | Discharge Line Coupling | | 434072-01 | 1 | | | | | | | | |

B. Water Circuit KM-1900S_J/3 G-0




| Index | | Material or | | | R | equired | Numbe | r | |
|-------|---|------------------------------|-------------|-----|----------|---------------|-------|---|---|
| No. | Description | Model Number | Part Number | G-0 | | | | | |
| 1 | Pump Motor Assembly (includes items 2 through 9b) | S-0730 | 215692A03 | 1 | | | | | |
| 2 | Pump Motor | | 2U0106-01 | 1 | | | | | Г |
| 3 | Pump Flange | | 215662-01 | 1 | | | | | Т |
| 3a | Tooth Washer | | 7R22-0600 | 2 | | | | | Г |
| 3b | Hex Head Bolt | 6×40 | 7B02-0640 | 4 | | | | | Г |
| 3c | Flat Washer | | 7W22-0600 | 4 | | | | | Г |
| 3d | Split Lock Washer | | 7L22-0600 | 4 | | | | | Г |
| 3e | Hex Nut | | 7N12-0600 | 4 | | | | | Г |
| 4 | Pump Housing | | 213687-01 | 1 | | | | | Г |
| 4a | Hex Head Bolt | 4×55 | 7B02-0455 | 4 | | | | | Г |
| 4b | Hex Flange Nut | | 7J02-0400 | 4 | | | | | Г |
| 5 | Mechanical Seal | | 4A3820-01 | 1 | | | i | | Г |
| 6 | Packing | | 428547-01 | 1 | | | | | Г |
| 7 | Impeller | | 436584-01 | 1 | | | | | Г |
| 8 | Pin | | 4A0648-01 | 1 | \neg | $\neg \vdash$ | | | Т |
| 9 | Pump Motor Bracket | | 323904-01 | 1 | | | | | Т |
| 10 | Water Supply Pipe | KM-1900SAJ/3 KM-1900SWJ/3 | 4A0768G04 | 1 | | | | | Г |
| | | KM-1900SRJ/3 | 4A0768G11 | 1 | | | | | Т |
| 11 | Rubber Gasket | | 413854-03 | 1 | | | | | Т |
| 12 | Inlet Water Valve | | 3U0111-01 | 1 | | | | | T |
| 13 | Distributor Hose A | | 325738-01 | 1 | | | | | Т |
| 14 | Distributor Hose B | | 325738-02 | 1 | | | | | Т |
| 15 | Distributor Hose C | | 325739-01 | 2 | | | | | Т |
| 16 | Joint Pipe | | 439297-01 | 1 | | | | | T |
| 17 | Spray Tube | | 437049G01 | 6 | | | | | Т |
| 18 | Spray Guide | | 2A4282-02 | 6 | | | | | Т |
| 19 | Separator A | | 215046-01 | 2 | | | | | Т |
| 20 | Splash Curtain | | 1A4890-01 | 2 | | | | | Т |
| 21 | Cube Guide | | 214243-01 | 2 | | | | | Т |
| 22 | Hose A | | 435091-01 | 1 | | | | | Т |
| 23 | Hose B | | 325867-01 | 1 | | | | | Т |
| 24 | Distributor A | | 439266-01 | 1 | \neg | \neg | | | Г |
| 25 | Distributor B (Tee) | | 439239-01 | 1 | | | | | Г |
| 26 | Distributor C | | 439238-01 | 1 | | \neg | | 1 | Т |
| 27 | Drain Valve Housing | | 323613-01 | 1 | | $\neg \vdash$ | | | Т |
| 28 | Spring | | 322110-01 | 1 | | \neg | | | Г |
| 29 | Valve Seat | | 433705-01 | 1 | | | | | Г |
| 30 | Overflow Cap | | 325866-01 | 1 | | | | | Г |
| 31 | Float Switch Connector | | 426799-04 | 1 | | $\neg \vdash$ | | | Т |
| 32 | Float Switch | | 4A3624-01 | 1 | | | | | Г |
| 33 | O-Ring | | 7611-G035 | 1 | | | | | Г |
| 34 | Drain Hose | | 325869-01 | 1 | \neg | \neg | | | Т |
| 35 | Drain Plug | | 309246-01 | 1 | \dashv | \neg | | | Г |
| 36 | O-Ring | | 7611-P015 | 1 | \dashv | $\neg \vdash$ | | 1 | Г |
| 37 | Joint Hose | | 439309-01 | 1 | \dashv | $\neg \vdash$ | | | Т |
| 38 | Bypass Hose | | 439237-02 | 1 | \neg | \neg | | 1 | Г |

| Title: B | B. Water Circuit Model: KM-19 | 900S_J/3 | | | | | | | | |
|----------|-------------------------------|--------------|-------------|-----|---|-------|-------|-------|--|--|
| Index | | Material or | | | | Requi | red N | umber | | |
| No. | Description | Model Number | Part Number | G-0 | | | | | | |
| 39 | Control Valve Ball Valve | S-0761 | 439293-01 | 1 | | | | | | |
| 40 | Control Valve Male Adaptor | | 325826-01 | 2 | | | | | | |
| 41 | Control Valve Microswitch | | 4A2546-01 | 1 | | | | | | |
| 42 | Control Valve Handle | | 215383-01 | 1 | | | | | | |
| 43 | Silicone Hose | L=190 mm | 7730 3812 | 1 | | | | | | |
| 44 | Silicone Hose | L=430 mm | 773013896 | 1 | | | | | | |
| 45 | Vinyl Hose | L=40 mm | 7716-1519 | 1 | | | | | | |
| 46 | Vinyl Hose | L=550 mm | 7716-2732 | 1 | | | | | | |
| 47 | Vinyl Hose | L=230 mm | 7716-2732 | 1 | | | | | | |
| 48 | Splash Guard | | 4A6141-01 | 2 | Ì | | | | | |
| 49 | Separator | | 4X7933-01 | 24 | | | | | | |
| | | | , | | | | | | | |
| | | Н | ose Clamps | | | | | | | |
| | Hose Clamp | 25 mm | 427443-03 | 9 | | | | | | |
| | Hose Clamp | 13.5 mm | 427443-07 | 6 | | | | | | |
| | Hose Clamp | 32 mm | 427443-09 | 6 | | | | | | |
| | Hose Clamp | 17-21 mm | 4A2017-05 | 1 | | | | | | |



| Title: C | C. Control Box Assembly Mod | lel: KM-1900S_J/ | 3 | | | | | |
|----------|---|--|-------------|-----|--------|----------|----|--|
| Index | | Material or | | | Requir | ed Numbe | er | |
| No. | Description | Model Number | Part Number | G-0 | | | | |
| 1 | Compressor Relay | KM-1900SAJ KM-1900SWJ KM-1900SRJ | 4A3140-01 | 1 | | | | |
| | Magnetic Contactor | KM-1900SAJ3 KM-1900SWJ3 | 4A0794-02 | 1 | | | | |
| | | KM-1900SRJ3 | 4A0794-01 | 1 | | | | |
| 2 | Pump Motor Capacitor | 15MFD, 240VAC | 439705-01 | 1 | | | | |
| 3 | Control Transformer | | 3A0172-01 | 1 | | | | |
| 4 | Control Board | | 2A7664-02 | 1 | | | | |
| 4a | Control Board Support | | 4A0336-03 | 4 | | | | |
| 5 | Toggle Switch (control) | | 443119-01 | 1 | | | | |
| 6 | Fuse Holder | | 4A5443-01 | 1 | | | | |
| 7 | Fuse | AGC-10A, 250VAC | 4A0893-07 | 1 | | | | |
| 8 | Wire Harness | | 4A5197G01 | 1 | | | | |
| 9 | Relay X10 = Pump Direction Relay X11 = X10 Control Relay X12 = Anti-Slush Control Relay | KM-1900SAJ/3 KM-1900SWJ/3 | 406132-07 | 3 | | | | |
| | X13 = Crankcase Heater | KM-1900SRJ | | 4 | | | | |
| 10 | Start Capacitor | 189-227MFD, 330VAC | 3A0076-12 | 1 | | | | |
| 11 | Run Capacitor | 35MFD, 440VAC | 3A2005-12 | 1 | | | | |
| 12 | Start Relay | | 4A1107-09 | 1 | | | | |

D. Accessories & Labels KM-1900S_J/3 G-0



| Title: D | Title: D. Accessories & Labels Model: KM-1900S_J/3 | | | | | | | | | | | | |
|----------|--|--------------|-------------|-----|--|--|-------|-------|-------|--|--|--|--|
| Index | | Material or | | | | | Requi | red N | umber | | | | |
| No. | Description | Model Number | Part Number | G-0 | | | | | | | | | |
| 1 | Hoshizaki Emblem Label | | 4A0560-01 | 1 | | | | | | | | | |
| 2 | Penguin Label | | 475552L02 | 1 | | | | | | | | | |
| 3 | Universal Brace | | 4A0363-01 | 2 | | | | | | | | | |
| 3a | Hex Bolt | 5×12, SS | 7B02-0512 | 4 | | | | | | | | | |